


EXPERT LINE[®]

FRENCH AUTOMOTIVE PARTS



Suspension parts

2016




Suspension parts for French application
Catalogue edition 07.2016

EXPERTLINE-AUTOMOTIVE.COM


Contents

CITROËN	4
AX	5
Berlingo	7
C15	8
C2	9
C8	10
Evasion	11
Jumper	12
Jumper II	13
Jumpy	14
Saxo	15
Xsara	16
Xsara Picasso	17
ZX	18
PEUGEOT	20
106	20
205	21
206	22
306	24
307	26
405	28
406	29
806	30
807	31
Boxer	32
Boxer II	33
Expert	34
Partner	36
RENAULT	38
Kangoo	38
Master II	39
Mégane I	40
Mégane I Grandtour	41
Scénic	42
Parts gallery	48
Contact	50

CITROËN




AX (1986–1998)



No.	Index	Name	Description	OE	(kg)
1	G106X	Wheel bearing pin	Length 126/120/96mm, diameter 25/32mm		0,47
2	G220	Axle shaft			1,6
3	G465	Suspension arm	LH	352078 / 95658978	4,24
3	G466	Suspension arm	RH	352079 / 95658979	4,27
4	G532	Rear axle bearing	Inner bearing, outer bearing, plastic bush, 2x seal ring.	513256	0,21
5	G840	Anti-roll bar lever	Rear axle stabilizer bar lever. 30 spline, left side.	517850	0,34
5	G841	Anti-roll bar lever	Rear axle stabilizer bar lever. 32 spline, right side.	517851	0,32

CITROËN

Berlingo (1996-2009)



No.	Index	Name	Description	OE	(kg)
1	G117	Torsion bar	Length 1190mm, diameter 21.5mm. One piece in suspension. Used with torsion bar G130 x2	5170A1* STAB.	3,42
1	G118	Torsion bar	Length 1190mm, diameter 20.50mm. One piece in suspension. Used with torsion bar G131 x2	9170A0* (STAB.)	3,16
1	G119	Torsion bar	Length 1190mm, diameter 19mm.	517099* (STAB.)	2,71
2	G130	Torsion bar	Length 1025mm, diameter 21.50mm. Two pieces in suspension	515063* (LH) / 515066* (RH)	3
2	G131	Torsion bar	Length 1025mm, diameter 20.50mm. Two pieces in suspension.	515064* (LH) / 515067* (RH)	2,7
2	G132	Torsion bar	Length 1025mm, diameter 19.50mm. Two pieces in suspension.	515065* (LH) / 515068* (RH)	2,41
3	G219BL	Rear axle	Complete rear axle with suspension arms and torsion bars diam. 20.50mm.	514883* / 5148G1*	50
3	G219L	Rear axle	Complete rear axle with suspension arms and torsion bars diam. 19.50mm.	514883* / 5148G1*	50
4	G222	Axle shaft	Right side. Dimensions: 50mm x 28mm x 197mm		2,04
4	G223	Axle shaft	Left side. Dimensions: 50mm x 36mm x 197mm		1,49
5	G229	Wheel bearing	ABS ring diam. 93mm, spline number 29.	374828* / 374844	1,99
3	G229L	Rear axle	Rear axle with shafts, without suspension arms and torsions. Payload 600kg and 800kg		26


CITROËN

Berlingo (1996-2009)

No.	Index	Name	Description	OE	(kg)
6	G232X	Wheel bearing pin	Length 132mm/127mm, diameter 32mm/39mm. =G237X		0,6
7	G320J	Steering knuckle	Ball joint 18mm / Bearing 82mm. LH		3,73
7	G321J	Steering knuckle	Ball joint 18mm / Bearing 82mm. RH		3,73
7	G336J	Steering knuckle	Ball joint 16mm / Bearing 82mm. RH	364753	3,7
7	G337J	Steering knuckle	Ball joint 16mm / Bearing 82mm. LH	364653	3,79
7	G340J	Steering knuckle	Ball joint 16mm / Bearing 82mm. LH		3,79
7	G341J	Steering knuckle	Ball joint 16mm / Bearing 82mm. RH		3,78
8	G456	Suspension arm	LH	3520V3 / 3520V4 / 3520K9	3,95
8	G457	Suspension arm	RH	3521R4	3,84
8	G467	Suspension arm	LH. Ball joint 16mm.		3,83
8	G468	Suspension arm	RH. Ball joint 16mm.		3,82
8	G469	Suspension arm	LH. Ball joint 18mm.	3520H4	0
8	G470	Suspension arm	RH. Ball joint 18mm.	3521G7	0
9	G530	Rear axle bearing	Inner bearing, outer bearing, plastic bush.	513149	0,28
10	G620	Suspension arm	RH. With bearing.	5175G1 / 5175J7	7,05
10	G621	Suspension arm	LH. With bearing.	5175G0 / 5175J6* / 5175G1	7,05
10	G622	Suspension arm	LH. With bearing.	5175G0 / 5175J6 / 5175G1	7,05
10	G623	Suspension arm	RH. With bearing.	5175G1* / 5175J7	7,05

CITROËN


C15 (1984-2005)



No.	Index	Name	Description	OE	(kg)
1	G355J	Steering knuckle	Ball joint 16mm / Bearing 72mm. LH	364617 / 364662* / 91518835	4,02
1	G356J	Steering knuckle	Ball joint 16mm / Bearing 72mm. RH	364717 / 364762* / 91518836	4,02

CITROËN


C2 (2003-2009)



No.	Index	Name	Description	OE	(kg)
1	G233X	Wheel bearing pin	Length 132mm/126mm, 25mm/37mm. =G225X	diameter	0,5

CITROËN


C8 (2002-2014)



No.	Index	Name	Description	OE	(kg)
1	G459	Suspension arm	LH. Ball joint 17mm. To OPR 10823. C C8 / P 807 2002-2008	3520P6 / 1607303080 / 3521H0	5,21
1	G460	Suspension arm	RH. Ball joint 17mm. To OPR 10823. C C8 / P 807 2002-2008	3521K6	5,23

CITROËN


Evasion (1994-2002)



No.	Index	Name	Description	OE	(kg)
1	G345J	Steering knuckle	LH		3,98
1	G346J	Steering knuckle	RH		4,02
2	G454	Suspension arm	LH. Version U64 to OPR. 10036/ Version U65 to OPR 10829	3250P8 3520P4	/ 4,76
2	G455	Suspension arm	RH. Version U64 to OPR. 10036/ Version U65 to OPR 10829	3521K4 3521L0 352183	/ 4,76

CITROËN


Jumper (1994-2006)



No.	Index	Name	Description	OE	(kg)
1	G357J	Steering knuckle	LH. Wheel disc diameter 15'	364682	9,05
1	G358J	Steering knuckle	RH. Wheel disc diameter 15'	364782	9,42
1	G359J	Steering knuckle	LH. Wheel disc diameter 16'	364683	8,29
1	G360J	Steering knuckle	RH. Wheel disc diameter 16'	364783	9,25

CITROËN


Jumper II (2006-)



No.	Index	Name	Description	OE	(kg)
1	G361J	Steering knuckle	LH	3646A0 / 1357004080	11
1	G362J	Steering knuckle	RH	3647A0 / 1357005080	11

CITROËN


Jumpy (1994-2006)



No.	Index	Name	Description	OE	(kg)
1	G345J	Steering knuckle	LH		3,98
1	G346J	Steering knuckle	RH		4,02
2	G454	Suspension arm	LH. Version U64 to OPR. 10036/ Version U65 to OPR 10829	3250P8 3520P4	/ 4,76
2	G455	Suspension arm	RH. Version U64 to OPR. 10036/ Version U65 to OPR 10829	3521K4 3521L0 352183	/ / 4,76

CITROËN


Saxo (1996-2003)



No.	Index	Name	Description	OE	(kg)
1	G106X	Wheel bearing pin	Length 126/120/96mm, diameter 25/32mm		0,47
2	G220	Axle shaft			1,6
3	G465	Suspension arm	LH	352078 / 95658978	4,24
3	G466	Suspension arm	RH	352079 / 95658979	4,27
4	G531	Rear axle bearing	Inner bearing, outer bearing, plastic bush, seal ring.	513255* / 513164*	0,19
4	G532	Rear axle bearing	Inner bearing, outer bearing, plastic bush, 2x seal ring.	513256	0,21
5	G840	Anti-roll bar lever	Rear axle stabilizer bar lever. 30 spline, left side.	517850	0,34
5	G841	Anti-roll bar lever	Rear axle stabilizer bar lever. 32 spline, right side.	517851	0,32

CITROËN


Xsara (1997-2004)



No.	Index	Name	Description	OE	(kg)
1	G127	Torsion bar	Length 1170mm, diameter 20mm. Spline number 32/30	517082 / 5175AT	2,8
2	G129	Torsion bar	Length 1067mm, diameter 20mm. Spline number 32/30	515056* (LH) / 515059* (RH)	2,63
3	G225	Axle shaft	LH=RH. Length 317mm.	517617	2,09
4	G226L	Rear axle	Rear axle tube with bearings and metal rings.	514889*	8,5
5	G234X	Wheel bearing pin	Length 144.50mm/139mm/113mm, diameter 25mm/31.50mm. Brake discs.		0,54
5	G235X	Wheel bearing pin	Length 136mm/131mm/105mm, diameter 25mm/33mm. Brake drums 202mm		0,5
5	G236X	Wheel bearing pin	Length 134.50mm/132.50mm/109mm, diameter 25mm/31.50mm. P306 for drums 228mm, P206 for discs.		0,51
6	G351J	Steering knuckle	Ball joint 18mm / Bearing 72mm. LH		3,87
6	G352J	Steering knuckle	Ball joint 18mm / Bearing 72mm. RH		3,94
7	G467	Suspension arm	LH. Ball joint 16mm.		3,83
7	G468	Suspension arm	RH. Ball joint 16mm.		3,82
7	G469	Suspension arm	LH. Ball joint 18mm.	3520H4	0
7	G470	Suspension arm	RH. Ball joint 18mm.	3521G7	0
8	G529	Rear axle bearing	Inner bearing, outer bearing, seal ring, 2x metal ring.	513249	0,23
9	G842	Anti-roll bar lever	Rear axle stabilizer bar lever. 30 spline, left side.	517840	0,34
9	G843	Anti-roll bar lever	Rear axle stabilizer bar lever. 32 spline, right side.	517841	0,33

CITROËN


Xsara Picasso (1999-2008)



No.	Index	Name	Description	OE	(kg)
1	G222	Axle shaft	Right side. Dimensions: 50mm x 28mm x 197mm		2,04
1	G223	Axle shaft	Left side. Dimensions: 50mm x 36mm x 197mm		1,49
2	G232X	Wheel bearing pin	Length 132mm/127mm, diameter 32mm/39mm. =G237X		0,6
3	G456	Suspension arm	LH	3520V3 / 3520V4 / 3520K9	3,95
3	G457	Suspension arm	RH	3521R4	3,84
4	G530	Rear axle bearing	Inner bearing, outer bearing, plastic bush.	513149	0,28
5	G620	Suspension arm	RH. With bearing.	5175G1 / 5175J7	7,05
5	G621	Suspension arm	LH. With bearing.	5175G0 / 5175J6* / 5175G1	7,05
5	G622	Suspension arm	LH. With bearing.	5175G0 / 5175J6 / 5175G1	7,05
5	G623	Suspension arm	RH. With bearing.	5175G1* / 5175J7	7,05

CITROËN


ZX (1991-1998)




No.	Index	Name	Description	OE	(kg)
1	G127	Torsion bar	Length 1170mm, diameter 20mm. Spline number 32/30	517082 / 5175AT	2,8
2	G129	Torsion bar	Length 1067mm, diameter 20mm. Spline number 32/30	515056* (LH) / 515059* (RH)	2,63
3	G225	Axle shaft	LH=RH. Length 317mm.	517617	2,09
4	G226L	Rear axle	Rear axle tube with bearings and metal rings.	514889*	8,5
5	G355J	Steering knuckle	Ball joint 16mm / bearing 72mm. LH	364617 / 364662* / 91518835	0
5	G356J	Steering knuckle	Ball joint 16mm / bearing 72mm. RH	364717 / 364762* / 91518836	4
6	G529	Rear axle bearing	Inner bearing, outer bearing, seal ring, 2x metal ring.	513249	0,23
7	G842	Anti-roll bar lever	Rear axle stabilizer bar lever. 30 spline, left side.	517840	0,34
7	G843	Anti-roll bar lever	Rear axle stabilizer bar lever. 32 spline, right side.	517841	0,33

CITROËN


PEUGEOT






No.	Index	Name	Description	OE	(kg)
1	G106X	Wheel bearing pin	Length 126/120/96mm, diameter 25/32mm		0,47
2	G220	Axle shaft			1,6
3	G465	Suspension arm	LH	352078 / 95658978	4,24
3	G466	Suspension arm	RH	352079 / 95658979	4,27
4	G531	Rear axle bearing	Inner bearing, outer bearing, plastic bush, seal ring.	513255* / 513164*	0,19
4	G532	Rear axle bearing	Inner bearing, outer bearing, plastic bush, 2x seal ring.	513256	0,21
5	G840	Anti-roll bar lever	Rear axle stabilizer bar lever. 30 spline, left side.	517850	0,34
5	G841	Anti-roll bar lever	Rear axle stabilizer bar lever. 32 spline, right side.	517851	0,32

205 (1983-1998)



No.	Index	Name	Description	OE	(kg)
1	G225	Axle shaft	LH=RH. Length 317mm.	517617	2,09
2	G355J	Steering knuckle	Ball joint 16mm / bearing 72mm. LH	364617 / 364662* / 91518835	0
2	G356J	Steering knuckle	Ball joint 16mm / bearing 72mm. RH	364717 / 364762* / 91518836	4
3	G529	Rear axle bearing	Inner bearing, outer bearing, seal ring, 2x metal ring.	513249	0,23

PEUGEOT




No.	Index	Name	Description	OE	(kg)
1	G124	Torsion bar	Length 1152mm, diameter 20mm.	5170A4 / 5170F0 / 965906S	2,83
2	G125	Torsion bar	Length 1037mm, diameter 20mm.	515077* / 517079*	2,54
2	G126	Torsion bar	Length 1037mm, diameter 20mm.	515077* / 517079*	2,54
3	G224	Axle shaft	LH=RH. Outer diameter 47.50/47.30, inner diameter 28mm/33mm		2,1
3	G221	Axle shaft	Outer diameter 50mm/47.30mm. Left side. Used in P 206 2.0 16V CC.		2,29
4	G225L	Rear axle	Rear axle with shafts, without torsions, suspension arms and bearings.		19
5	G225X	Wheel bearing pin	Length 132.50mm/126mm/102mm, diameter 25mm/37mm. Fits to brake drums 180mm and 203mm		0,51
6	G230	Wheel hub	Diameter 42mm, spline number 25.	330785	1,72
5	G238X	Wheel bearing pin	Length 139mm/134mm/109mm, diameter 25mm/37mm. Brake discs.		0,53
7	G334J	Steering knuckle	Bearing 32mm x 72mm. LH	364652 / 364675	3,8
7	G335J	Steering knuckle	Bearing 32mm x 72mm. RH	364752 / 364775	3,81
7	G338J	Steering knuckle	Bearing 42 x 82mm. LH	364676	3,76
7	G339J	Steering knuckle	Bearing 42 x 82mm. RH	364776	3,81

206 (1998-2010)

No.	Index	Name	Description	OE	(kg)
8	G410	Suspension arm	RH	3521C8 / 3521S1	4,75
8	G411	Suspension arm	LH	3520G8 / 3528W8	4,75
9	G527	Rear axle bearing	Inner bearing, outer bearing, seal ring and plug.	374039 / 374052 / 5131A6 (INNER) / 513272 (OUTER)	0,22
9	G528	Rear axle bearing	Inner bearing, outer bearing, seal ring. Version with stabilizer bar.	513195 / 513265 / 5131A6	0,19
10	G624	Suspension arm	LH. For brake drums, with ABS sensor mounting hole.	5175AT	7,33
10	G625	Suspension arm	RH. For brake drums, with ABS sensor mounting hole.	5175AX / E268422	7,33
11	G840	Anti-roll bar lever	Rear axle stabilizer bar lever. 30 spline, left side.	517850	0,34
11	G841	Anti-roll bar lever	Rear axle stabilizer bar lever. 32 spline, right side.	517851	0,32

PEUGEOT




No.	Index	Name	Description	OE	(kg)
1	G127	Torsion bar	Length 1170mm, diameter 20mm. Spline number 32/30	517082 / 5175AT	2,8
2	G129	Torsion bar	Length 1067mm, diameter 20mm. Spline number 32/30	515056* (LH) / 515059* (RH)	2,63
3	G225	Axle shaft	LH=RH. Length 317mm.	517617	2,09
4	G226L	Rear axle	Rear axle tube with bearings and metal rings.	514889*	8,5
5	G230	Wheel hub	Diameter 42mm, spline number 25.	330785	1,72
6	G234X	Wheel bearing pin	Length 144.50mm/139mm/113mm, diameter 25mm/31.50mm. Brake discs.		0,54
6	G235X	Wheel bearing pin	Length 136mm/131mm/105mm, diameter 25mm/33mm. Brake drums 202mm		0,5
6	G236X	Wheel bearing pin	Length 134.50mm/132.50mm/109mm, diameter 25mm/31.50mm. P306 for drums 228mm, P206 for discs.		0,51
7	G320J	Steering knuckle	Ball joint 18mm / Bearing 82mm. LH		3,73
7	G321J	Steering knuckle	Ball joint 18mm / Bearing 82mm. RH		3,73
7	G336J	Steering knuckle	Ball joint 16mm / Bearing 82mm. RH	364753	3,7
7	G337J	Steering knuckle	Ball joint 16mm / Bearing 82mm. LH	364653	3,79
7	G340J	Steering knuckle	Ball joint 16mm / Bearing 82mm. LH		3,79
7	G341J	Steering knuckle	Ball joint 16mm / Bearing 82mm. RH		3,78

306 (1993-2001)

No.	Index	Name	Description	OE	(kg)
7	G351J	Steering knuckle	Ball joint 18mm / Bearing 72mm. LH		3,87
7	G352J	Steering knuckle	Ball joint 18mm / Bearing 72mm. RH		3,94
7	G355J	Steering knuckle	Ball joint 16mm / Bearing 72mm. LH	364617 / 364662* / 91518835	0
7	G356J	Steering knuckle	Ball joint 16mm / Bearing 72mm. RH	364717 / 364762* / 91518836	4
8	G529	Rear axle bearing	Inner bearing, outer bearing, seal ring, 2x metal ring.	513249	0,23
9	G842	Anti-roll bar lever	Rear axle stabilizer bar lever. 30 spline, left side.	517840	0,34
9	G843	Anti-roll bar lever	Rear axle stabilizer bar lever. 32 spline, right side.	517841	0,33

PEUGEOT


307 (2001-2008)



No.	Index	Name	Description	OE	(kg)
1	G227X	Wheel bearing pin	Length 100mm, diameter 25mm.		0,38
1	G239X	Wheel bearing pin	Fixed to suspension arm, model with wheel hub. -2004.	517623	0
1	G240X	Wheel bearing pin	Fixed to suspension arm, model with bearing in brake disc. 2004-	517630	0

PEUGEOT


309 (1985-1993)



No.	Index	Name	Description	OE	(kg)
1	G225	Axle shaft	LH=RH. Length 317mm.	517617	2,09
2	G529	Rear axle bearing	Inner bearing, outer bearing, seal ring, 2x metal ring.	513249	0,23

PEUGEOT


405 (1987–1996)



No.	Index	Name	Description	OE	(kg)
1	G222	Axle shaft	Right side. Dimensions: 50mm x 28mm x 197mm		2,04
1	G223	Axle shaft	Left side. Dimensions: 50mm x 36mm x 197mm		1,49
2	G229X	Wheel bearing pin	Length 131mm, diameter 32mm.		0,61
3	G230	Wheel hub	Diameter 42mm, spline number 25.	330785	1,72
4	G530	Rear axle bearing	Inner bearing, outer bearing, plastic bush.	513149	0,28
5	G620	Suspension arm	RH. With bearing.	5175G1 / 5175J7	7,05
5	G621	Suspension arm	LH. With bearing.	5175G0 / 5175J6* / 5175G1	7,05

PEUGEOT


406 (1995-2004)



No.	Index	Name	Description	OE	(kg)
1	G230	Wheel hub	Diameter 42mm, spline number 25.	330785	1,72
2	G237X	Wheel bearing pin	Length 132mm/127mm, diameter 32mm/39mm. =G232X		0,6


PEUGEOT

806 (1994-2002)




No.	Index	Name	Description	OE		(kg)
1	G345J	Steering knuckle	LH			3,98
1	G346J	Steering knuckle	RH			4,02
2	G454	Suspension arm	LH. Version U64 to OPR. 10036/ Version U65 to OPR 10829	3250P8 3520P4	/	4,76
2	G455	Suspension arm	RH. Version U64 to OPR. 10036/ Version U65 to OPR 10829	3521K4 3521L0 352183	/ / 	4,76

PEUGEOT



No.	Index	Name	Description	OE	(kg)
1	G459	Suspension arm	LH. Ball joint 17mm. To OPR 10823. C C8 / P 807 2002-2008	3520P6 / 1607303080 / 3521H0	5,21
1	G460	Suspension arm	RH. Ball joint 17mm. To OPR 10823. C C8 / P 807 2002-2008	3521K6	5,23


Boxer (1994-2006)



No.	Index	Name	Description	OE	(kg)
1	G357J	Steering knuckle	LH. Wheel disc diameter 15'	364682	9,05
1	G358J	Steering knuckle	RH. Wheel disc diameter 15'	364782	9,42
1	G359J	Steering knuckle	LH. Wheel disc diameter 16'	364683	8,29
1	G360J	Steering knuckle	RH. Wheel disc diameter 16'	364783	9,25

PEUGEOT


Boxer II (2006-)



No.	Index	Name	Description	OE	(kg)
1	G361J	Steering knuckle	LH	3646A0 / 1357004080	11
1	G362J	Steering knuckle	RH	3647A0 / 1357005080	11


PEUGEOT

Expert (1994-2006)



No.	Index	Name	Description	OE		(kg)
1	G345J	Steering knuckle	LH			3,98
1	G346J	Steering knuckle	RH			4,02
2	G454	Suspension arm	LH. Version U64 to OPR. 10036/ Version U65 to OPR 10829	3250P8 3520P4	/	4,76
2	G455	Suspension arm	RH. Version U64 to OPR. 10036/ Version U65 to OPR 10829	3521K4 3521L0 352183	/ / 	4,76

Partner (1996-2009)




No.	Index	Name	Description	OE	(kg)
1	G117	Torsion bar	Length 1190mm, diameter 21.5mm. One piece in suspension. Used with torsion bar G130 x2	5170A1* STAB.	3,42
1	G118	Torsion bar	Length 1190mm, diameter 20.50mm. One piece in suspension. Used with torsion bar G131 x2	9170A0* (STAB.)	3,16
1	G119	Torsion bar	Length 1190mm, diameter 19mm.	517099* (STAB.)	2,71
2	G130	Torsion bar	Length 1025mm, diameter 21.50mm. Two pieces in suspension	515063* (LH) / 515066* (RH)	3
2	G131	Torsion bar	Length 1025mm, diameter 20.50mm. Two pieces in suspension.	515064* (LH) / 515067* (RH)	2,7
2	G132	Torsion bar	Length 1025mm, diameter 19.50mm. Two pieces in suspension.	515065* (LH) / 515068* (RH)	2,41
3	G219BL	Rear axle	Complete rear axle with suspension arms and torsion bars diam. 20.50mm.	514883* / 5148G1*	50
3	G219L	Rear axle	Complete rear axle with suspension arms and torsion bars diam. 19.50mm.	514883* / 5148G1*	50
4	G222	Axle shaft	Right side. Dimensions: 50mm x 28mm x 197mm		2,04
4	G223	Axle shaft	Left side. Dimensions: 50mm x 36mm x 197mm		1,49
5	G229	Wheel bearing	ABS ring diam. 93mm, spline number 29.	374828* / 374844	1,99
3	G229L	Rear axle	Rear axle with shafts, without suspension arms and torsions. Payload 600kg and 800kg		26


Partner (1996-2009)

No.	Index	Name	Description	OE	(kg)
6	G232X	Wheel bearing pin	Length 132mm/127mm, diameter 32mm/39mm. =G237X		0,6
7	G320J	Steering knuckle	Ball joint 18mm / Bearing 82mm. LH		3,73
7	G321J	Steering knuckle	Ball joint 18mm / Bearing 82mm. RH		3,73
7	G336J	Steering knuckle	Ball joint 16mm / Bearing 82mm. RH	364753	3,7
7	G337J	Steering knuckle	Ball joint 16mm / Bearing 82mm. LH	364653	3,79
7	G340J	Steering knuckle	Ball joint 16mm / Bearing 82mm. LH		3,79
7	G341J	Steering knuckle	Ball joint 16mm / Bearing 82mm. RH		3,78
8	G456	Suspension arm	LH	3520V3 / 3520V4 / 3520K9	3,95
8	G457	Suspension arm	RH	3521R4	3,84
8	G467	Suspension arm	LH. Ball joint 16mm.		3,83
8	G468	Suspension arm	RH. Ball joint 16mm.		3,82
8	G469	Suspension arm	LH. Ball joint 18mm.	3520H4	0
8	G470	Suspension arm	RH. Ball joint 18mm.	3521G7	0
9	G530	Rear axle bearing	Inner bearing, outer bearing, plastic bush.	513149	0,28
10	G620	Suspension arm	RH. With bearing.	5175G1 / 5175J7	7,05
10	G621	Suspension arm	LH. With bearing.	5175G0 / 5175J6* / 5175G1	7,05
10	G622	Suspension arm	LH. With bearing.	5175G0 / 5175J6 / 5175G1	7,05
10	G623	Suspension arm	RH. With bearing.	5175G1* / 5175J7	7,05

RENAULT




Kangoo (1998-2008)



No.	Index	Name	Description	OE	(kg)
1	G133	Torsion bar	Length 565mm, 4-torsion axle. Right rear side.	7700307522 / 8200217679	2,16
1	G134	Torsion bar	Length 565mm, 4-torsion axle. Left rear side.	7700307523 / 8200217677	2,16
2	G142	Torsion bar	Length 652mm. Spline number 31/30. Front left side.	7700301726 / 8200217679	2,68
2	G143	Torsion bar	Length 652mm. Spline number 31/30. Front right side.	7700301727	2,68


RENAULT

Master II (1998-2010)



No.	Index	Name	Description	OE	(kg)
1	G402J	Steering knuckle	LH. Ball joint mounting hole diameter 22mm. MASTER 2001-2007	7700314557 / 8200642122	5,19
1	G403J	Steering knuckle	RH. Ball joint mounting hole diameter 22mm. MASTER 2001-2007	7700314593 / 8200642123	5,19


Mégane I (1995-2002)



No.	Index	Name	Description	OE	(kg)
1	G135	Torsion bar	Length 580mm, diameter 23.50mm. Spline number 31/30. Used in Mégane Coupe and 5D. 4-torsion axle, left rear side.	7700784773 / 8200048890	2,02
1	G136	Torsion bar	Length 580mm, diameter 23.50mm. Spline number 31/30. Used in Mégane Coupe and 5D. 4-torsion axle, right rear side.	7700784774 / 8200048891	2,02
1	G137	Torsion bar	Length 675mm, diameter 25.50mm. Spline number 26/27. Used in Mégane Coupe and 5D. 4-torsion axle, left front side.	7700827898 / 8200048883	2,49
1	G138	Torsion bar	Length 675mm, diameter 25.50mm. Spline number 26/27. Used in Mégane Coupe and 5D. 4-torsion axle, right front side.	7700827889 / 8200048884	2,49

RENAULT


Mégane I Grandtour (1995-2002)



No.	Index	Name	Description	OE	(kg)
1	G140	Torsion bar	Length 574mm, diameter 22mm. Spline number 31/30. Used in Mégane Grandtour. 4-torsion axle, left rear side.	7700418372 / 7700418376	1,8
1	G141	Torsion bar	Length 574mm, diameter 22mm. Spline number 31/30. Used in Mégane Grandtour. 4-torsion axle, right rear side.	7700418373 / 7700418377	1,8


RENAULT

Scénic (1996-2003)






No.	Index	Name	Description	OE	(kg)
1	G144	Torsion bar	Length 668mm, diameter 23.60mm. Spline number 31/30. Front left. Fits Laguna I HB and Grandtour as front one (OE 8200023010)	8200048900	2,35
1	G145	Torsion bar	Length 668mm, diameter 23.60mm. Spline number 31/30. Front right. Fits Laguna I HB and Grandtour as front one (OE 8200023011)	8200048904	2,35

RENAULT

G106X	G117	G118
		
G119	G124	G125
		
G126	G127	G129
		
G130	G131	G132
		
G133	G134	G135
		
G136	G137	G138
		
G140	G141	G142
		
G143	G144	G145
		
G219BL	G219L	G220
		

PHOTO

G221	G222	G223
		
G224	G225	G225L
		
G225X	G226L	G226X
		
G227X	G229	G229L
		
G229X	G230	G232X
		

PHOTO

G233X  G233X	G234X  G234X	G235X  G235X
G236X  G236X	G237X  G237X	G238X  G238X
G239X No photo	G240X No photo	G320J  G320J
G321J  G321J	G334J  G334J	G335J  G335J
G336J  G336J	G337J  G337J	G338J  G338J

PHOTO

G339J	G340J	G341J
 G339J	No photo	No photo
G345J	G346J	G351J
 G345J	 G346J	 G351J
G352J	G355J	G356J
 G352J	 G355J	 G356J
G357J	G358J	G359J
 G357J	 G358J	 G359J


PHOTO

G360J	G361J	G362J
		
G402J	G403J	G410
		No photo
G411	G454	G455
No photo		No photo
G456	G457	G459
No photo	No photo	
G460	G465	G466
		

PHOTO

G467	G468	G469
 G467	 G468	No photo
G470	G527	G528
No photo	 G527	 G528
G529	G530	G531
 G529	 G530	 G531
G532	G620	G621
 G532	 G620	 G621

PHOTO

G622	G623	G624
		
G625	G840	G841
		
G842	G843	
		No photo

PHOTO

OE numbers are only used for identification purposes. Although every care has been taken while compiling this list of applications, they are given for general guidance only, and they do not constitute any legal responsibility or warranty.



EXPERTLINE-AUTOMOTIVE.COM

ex@expertline-automotive.com